



SYSTEM NOTES:

- 1. FRAME & PANEL CONSTRUCTION: HEAVY DUTY EXTRUDED ALUMINUM SUB FRAME AND SCREEN FRAME.
- 2. FRAME CONTAINS SEVERAL CONCEALED HINGES DEPENDING ON THE SIZE WITH SELF-LUBRICATING BRASS BUSHINGS INTEGRALLY LOCKED INTO THE FRAME EXTRUSION.
- 3. FABRIC CONSTRUCTION: SCREEN FABRIC IS MADE UP OF T-304 STAINLESS STEEL, WITH .028" WIRE ARRANGED 12 STRANDS PER INCH.
- 4. THE SCREEN FABRIC IS ATTACHED TO THE EXTRUDED ALUMINUM PANEL FRAME WITH THE SCREEN RETAINER SYSTEM.
- 5. ALUMINUM EXTRUDED FRAME AND WIRE MESH ARE POWDER COATED WITH A STANDARD COLORS.

CUST. PART **VARIOUS** NAME NUMBER: PART TOLERANCES HEAVY DUTY WITH SUB FRAME ALUMINUM WITH STAINLESS STEEL NAME: EXCEPT AS NOTED TREATMENT: POWDER COATED reference SHEET # 1 OF 1 SHEETS CHECKED BY: DRAWN BY: CENTURION $X \pm .060$ GMP DATE: 1-12-2010 .XX ± .030 Θ $,XXX \pm ,015$ THIRD ANGLE PROJECTION This information is considered proprietary to Centurion Security Screen Co, LTD, and shall not be given to a ANGULAR ± 1° SCALE: NTS third party without express permission

UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES